

Date:27.12.2019

To,
The Director(s),
Ministry of Environment and Forests,
Government of India, Regional office (South zone),
Kendriya Sadan, IV Floor, E & F Wings,
17th Main Road, II Block, Koramangala,
Bengaluru – 560 034

Sir,

Sub: Submission of Half year Compliance report for monitoring and implementation of conditions laid down in Environmental Clearance of Software Development project at plot no 57, 58, 59, 63, Survey No. 12 of Konnapanna Agrahara & survey no's 157, 158, 161, 64, 65 of Doddathogur Village, Electronic City, Begur Hobli, Bengaluru South Taluk, Bengaluru by M/s. Infosys Limited.

**Ref: 1. Environmental Clearance Vide No. SEIAA: 129: CON: 2014 dated 7th Dec 2015.
2. Corrigendum dated 13th Oct 2017.**

With reference to above cited subject & references, we are hereby submitting hard & soft copy of the half year compliance report to the conditions stipulated in the Environmental Clearance.

Kindly accept & acknowledge the receipt of the same.

Thanking You,

Yours Faithfully,
For, M/s. Infosys Limited.,

Encl: as above

K
27/12/19
प्रेषणकर्ता
DESPACTCHER
पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय
Ministry of Environment, Forests & Climate Change
क्षेत्रीय कार्यालय, दक्षिण बल्य
Regional Office, Southern Zone
केन्द्रीय सदन, चौथा तल, कोरमंगला
Kendriya Sadan, 4th Floor, Koramangala
बंगलुरु/Bengaluru-560 034

INFOSYS LIMITED
CIN: L85110KA1981PLC013115
44, Infosys Avenue
Electronics City, Hosur Road
Bengaluru 560 100, India
T 91 80 2852 0261
F 91 80 2852 0362
askus@infosys.com
www.infosys.com

Date: 27.12.2019

To,
Member Secretary, SEIAA,
Forest Ecology and Environmental Department,
7th Floor, 4th Stage, M.S Building,
Dr. Ambedkar Veedhi,
Bengaluru-560 001

Sir,

Sub: Submission of Half year Compliance report for monitoring and implementation of conditions laid down in Environmental Clearance of Software Development blocks project at plot no 57, 58, 59, 63, Survey No. 12 of Konnapanna Agrahara & survey no's 157, 158, 161, 64, 65 of Doddathogur Village, Electronic City, Begur Hobli, Bengaluru South Taluk, Bengaluru by M/s. Infosys Limited.

Ref: 1. Environmental Clearance Vide No. SEIAA: 129: CON: 2014 dated 7th Dec 2015.
2. Corrigendum dated 13th Oct 2017.

With reference to above cited subject & references, we are hereby submitting hard & soft copy of the Half year compliance report to the conditions stipulated in the Environmental Clearance.

Kindly accept & acknowledge the receipt of the same.

Thanking You,

Yours Faithfully,
For, M/s. Infosys Limited.,

Encl: as above



12.
rod

17/01/20

CONTENTS

Description	Page No.
Project at Glance	1
Part A: Specific conditions	2-14
Part B: General conditions	14-17
Annexure-A: Air & Noise analysis reports	18
Annexure-B: Domestic sewage lifting bill	19
Annexure-C: Construction labours drinking Water supply bills and analysis report	20
Annexure-D: Solid Waste management	21
Annexure-E: Labour health Check-up reports	22
Annexure-F: Construction vehicles emission test reports	23
Annexure-G: Construction water supply bills & analysis report	24
Annexure-H: Acknowledgment copies	25
Photographs of project site	26

PROJECT AT A GLANCE

1.	Name & address of the project proponent	M/s. Infosys Limited, Plot No. 44 & 97A, Electronic city, Hosur Road, Bengaluru - 560 100
2.	Name & address of the project location	Construction of Construction of Software Development project at plot no 57, 58, 59, 63, survey no 12 of Konnapanna Agrahara & survey no's 157, 158, 161, 64, 65 of Doddathogur Village, Electronic City, Begur Hobli, Bengaluru South Taluk, Bengaluru.
3.	Type of the project	Construction of Software Development
4.	Project description	Proposed project consists of 2 number of Software development blocks in 3B+G+9UF+TF, 3B+G+4UF+TF respectively and the maximum height of the building is 47.3 m
5.	Cost of the project	Rs.850 Crores
6.	Total Site area	39,551.47 Sqmt (9.78 Acres)
7.	Total Built up area	1,41,705.60 Sqmt
8.	Environmental clearance No.	No. SEIAA 129 CON 2014 Dated 7 th Dec 2015 Corrigendum dated 13 th Oct 2017
9.	Status of Construction	Building 1: Completed Building 2 : Structure has been completed Interior works are under progress at all floors Podium- completion stage BUA - 1,41,705.60 Sqmt under progress

COMPLIANCE TO EC CONDITIONS

PART A - SPECIFIC CONDITIONS:

CONSTRUCTION PHASE			
Sl. No.	EC Conditions	Action taken	Remarks
1.	Set up an environment management cell and ensure that the cell manages/ maintains all the environmental aspects such as sewage treatment, solid waste disposal, maintenance of green belt areas, etc., and in case the commercial space is sold/ leased, then enter into an agreement with the prospective buyers to ensure that they maintain the cell and take care of all environment concerns during the operation phase of the project. In addition, sufficient fees should be levied so as to raise a corpus fund to maintain the Environment cell.	All environmental aspects such as sewage treatment, solid waste disposal, maintenance of green belt areas are being maintaining by the contractors in the site. We have Environmental Management cell, this cell is managing all environmental aspects and continued for operation phase. Sufficient fund is allotted to maintain the Environment management cell.	--
2.	Appoint an Environment and safety engineer during the construction phase to take care of environment and safety aspects.	We have appointed safety engineers in the project site to take care of environment and safety aspects.	--
3.	The project proponent should ensure that during the construction phase utmost care is taken to ensure that there is no noise nuisance, no air and water pollution and no disturbance to the nearby inhabitants. In case of violation, the project construction activity may have to be directed to be stopped.	Precautionary measures are taken to avoid nuisance, air and water pollution. The DG sets are provided with adequate stacks to reduce the effect of air pollutants emitted. The acoustic enclosures have been provided to avoid the nuisance due to noise generated from the DG sets. Major construction activities are carrying in day time to avoid the noise nuisance. Air and Noise quality analysis were conducted in the project	--

		site. The analysis reports are enclosed as Annexure - A.	
4.	The project proponent should cover the project site from all sides by raising sufficiently tall barricades with sheets to ensure that pollutants do not spill to the surroundings.	Project site is covered by compound wall with barricades to curtail the spilling of pollutants to the surrounding. Photos of project site are enclosed	Achieved the EC condition.
5.	Provide at the main entrances bell gates, which are located at least 12' inside the boundary of the project to enable smooth flow of traffic on the main road leading to the entrance.	Provision is made at the main entrance to enable smooth flow of traffic on the main road leading to the entrance.	Achieved the EC condition.
6.	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase. Sufficient number of toilets/bathrooms shall be provided with required mobile toilets, mobile STP for construction work force.	All required sanitary and hygienic measures are adopted & will be maintained throughout the construction phase. 15 nos of urinals and 11 nos of toilets are provided for the labours & The generated sewage will be collected in septic tank and then it will be lifted from the site for further treatment through third party vendors. Bills of the same are enclosed as Annexure - B	Achieved the EC condition.
7.	A First Aid Room should be provided in the Project both during construction and operation of the project.	The first aid room is provided with male nurse in the project site. Photo of the first aid room is enclosed.	Achieved the EC condition.
8.	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.	Drinking water for the construction labours is sourced through external agencies. Purchase bills & the analysis report for the same are enclosed as Annexure - C. The generated sewage will be collected in septic tank and then it will be lifted from the site for further treatment through third party vendors.	Achieved the EC condition.

			The domestic solid wastes will be minimal as there is no provision of labour colony; Dust bins are provided in the site for collection and collected domestic solid waste and construction wastes will be handed over to authorized vendors. Construction waste disposal bills are enclosed as Annexure-D		
9.	Provision shall be made for the housing of construction labourers within the site with all necessary infrastructures. The housing may be in the form of temporary structures to be removed after the completion of the project. The facilities shall include the crèche.		Temporary housing facilities for workers are provided in separate building near the project site.	Achieved the EC condition.	--
10.	Provision should be made for the supply of fuel (kerosene or cooking gas); utensils such as pressure cookers etc. to the labourers during construction phase.		The construction workers are provided with all basic facilities, lighting, fuel etc	Achieved the EC condition.	--
11.	All the labourers to be engaged for construction should be screened for health and adequately treated before engaging them to work at the site and detailed report submitted to SEIAA. Safety standards as per National Building Code (NBC) should be ensured.		The labourers health screening was done before appointing them for construction work. Periodic health check up is conducting for all the labourers working in the project site. And a first aid room with a nurse is provided within the site. Health Check-up reports are enclosed as Annexure -E	Achieved the EC condition.	--
12.	For dis-infection of wastewater which is not meant for recycling for toilet flushing, use ultra violet radiation and not chlorination. For treated wastewater meant for reuse for toilet flushing, disinfect by using chlorination.		The generated sewage will be collected in septic tank and then it will be lifted from the site for further treatment through third party vendors	Alternative provisions are made.	--

13.	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.	The excavated top soil is stored & this will be used for landscape development within the project site.	Achieved the EC condition.	--
14.	Disposal of muck, construction debris during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	The generated construction debris is used within the site for roads & pavement formation; hence there is no possibility of adverse effect on the neighbouring communities.	Achieved the EC condition.	--
15.	Soil and ground water samples should be tested at the project site during the construction phase to ascertain that there is no threat to ground water quality by leaching of heavy metals and or other toxic contaminants and report submitted to SEIAA.	The Soil samples in the project site are tested.	Achieved the EC condition.	--
16.	Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.	Pre-cast technology is using for construction activities & other similar activities are carried out on impervious floors. Hence there are no possibilities of leaching of pollutants.	Achieved the EC condition.	--
17.	The diesel generator sets to be used during construction phase should be of low sulphur diesel type and should conform to E (P) Rules prescribed for air and noise emission standards.	The fuel used for DG sets is of low sulphur content & conforms to E (P) Rules prescribed for air and noise emission standards.	Achieved the EC condition.	--
18.	Vehicles hired for bringing construction material to the site should be in good condition and should conform to the applicable air and	The vehicles used during construction are maintained in good condition & are operated during non-peak hours. To comply air & noise	Achieved the EC condition.	--

	noise emission standards and should be operated only during non-peak hours.	emission standards, emission test are conducted for construction vehicles. Emission test reports are enclosed as Annexure-F.	
19.	Ambient noise levels should conform to the residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures to reduce air and noise pollution during construction keeping in mind CPCB norms on noise limits.	<ul style="list-style-type: none"> • The site is periodically watered to reduce emissions of dust particles. • Site is barricaded all along the boundary to avoid fugitive dust emission. • Less noise generating equipments are used for construction. • Ambient air and noise test were conducted in the project site and the reports are enclosed in Annexure - A. 	Achieved the EC condition.
20.	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on August 2003.	As there is no availability of fly ash made building materials, no usage of such materials in the construction work.	--
21.	Ready mixed concrete must be used in building construction.	Pre-cast concrete blocks are being used in building construction. Ready mixed concrete is sourcing from RMC, RDC	Achieved the EC condition.
22.	Storm water control and its re-use as per CGWB and BIS standards for various applications.	Storm water control and its re-use are adopted in the proposed project; as the stage wise construction is going on, it will be implemented accordingly.	Will Achieve the EC condition.
23.	Water Demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices. And only tertiary treated water shall be used for construction as per G.O.No. FEE 188 ENV 2003 dated 14.08.2003	To reduce water demand precast concrete blocks, ready mixed concrete etc, are using in construction; & water requirement during construction is being sourced from external agencies. Purchase bills & analysis reports for the same is enclosed as Annexure-G	Achieved the EC condition.

24.	No ground water is to be drawn without permission from the Central Ground Water Authority.	No ground water is using in the project site.	Achieved the EC condition.	--
25.	Separation of grey and black water should be done by the use of dual plumbing line for separation of grey and black water.	Dual plumbing plan is being implemented in the building design. (Operation phase)	Will Achieve the EC condition	--
26.	Treatment of 100% grey water by decentralized treatment should be done.	Sewage Treatment plant has been proposed and its construction will be started in later stages.	Will achieve the EC condition	--
27.	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	The plumbing works will be well managed to reduce water consumption and water efficient plumbing fittings will be used.	Will achieve the EC condition.	--
28.	Use of glass shall not exceed 40% of exposed area to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.	High quality double glass with reflective coating will be used for windows and the envelopes of building are designed as per ECBC guidelines. Non Conventional Energy sources are used as alternative sources of energy supply to reduce the consumption of Electricity.	Will achieve the EC condition	--
29.	The provision of Energy Conservation Building code, 2007 shall be fully complied with.	Whole Building Simulation route was selected for ECBC compliance instead of prescriptive route. And we have applied for LEED platinum rate	Will achieve the EC condition	--
30.	Roof should meet prescriptive requirement as per Energy Conservation Building Code, 2007 by using appropriate thermal insulation material.	As per Energy Conservation Building Code, thermal insulation techniques & materials are being used in construction	Will achieve the EC condition	--
31.	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, 2007 which is proposed to be	The opaque wall is proposed to meet prescriptive requirement. The U & R values are proposed to achieve as per ECBC guidelines.	Will achieve the EC condition	--

	mandatory for all air conditioned spaces while it is optional for non-air conditioned spaces by use of appropriate thermal insulation material to fulfil requirement.			
32.	Facilities such as ramps and separate parking shall be provided for the benefit of physically challenged.	Provision will be made for physically challenged people.	Will achieve the EC condition	--
33.	The project shall be made operational only after necessary infrastructure/connection for water supply and sewerage line is provided and commissioned by the Competent Authorities.	The project will commence its operation only after obtaining necessary infrastructure/ connection for water supply and sewerage line from the Competent Authorities. We have obtained NOC from ELCIA for water supply	Will achieve the EC condition	--
34.	The project authority shall maintain and operate the common infrastructure facilities created including STP and solid waste management facility efficiently.	The project proponent will maintain and operate the STP with other related issues and solid waste management facility efficiently.	Will achieve the EC condition	--
35.	The project authority shall incorporate a suitable condition in the Sale/ rent Agreement/Deed to be made with the buyers/ occupiers that they holds the responsibilities jointly with other users to maintain common infrastructure facilities created including STP and solid waste management facility.	As the project is proposed for our own use we will maintain all infrastructure and other facilities throughout the operation phase.	Will achieve the EC condition	--
36.	The Proponent shall obtain the construction material such as stones and jelly etc. only from the approved quarries and other construction material shall also be procured from the authorized agencies/traders.	The materials using for construction are being obtained from approved quarries & from the authorized agencies/traders.	Achieved the EC condition.	--

37.	The proponent shall obtain approval from the competent authorities for structural safety of the building due to earthquake, adequacy of fire fighting equipment etc. as per the National Building Code (NBC) including protection measures for lightning etc.	The project is planned as per the NBC Standards; necessary protection measures are adopted & we have obtained approval from the competent authorities for structural safety of the building. Copy of the same was submitted to SELAA & Regional Office Bengaluru.	Achieved the EC condition.	--
38.	The project authorities shall ensure that no water bodies are polluted due to project activities.	It is ensured that no water bodies will be polluted from the project.	Will achieve the EC condition.	--
39.	Safety standards as per National Building Code (NBC), 2005 should be followed and ensured.	NBC safety standards are being followed.	Achieved the EC condition.	--
40.	The project Authorities shall ensure that the National Building Code, 2005 is fully complied with and adhered to.	It is ensured that proposed project is planned as per NBC and it fully complied with.	Will achieve the EC condition	--
41.	The project authorities shall not use Kharab land if any for any purpose and keep available to the general public duly displaying a board as public property. No structure of any kind be put up in the Kharab land and shall be afforested and maintained as green belt only.	No Kharab land has been used in the proposed project.	Achieved the EC condition.	--
42.	The project authority shall obtain NOC before commencement of the construction activity and clearance after the completion of the construction from the Fire and Emergency Services Department, if applicable.	We have obtained NOC before commencement of the construction activity Fire and Emergency Services Department. Copy of the same was submitted to SELAA & Regional Office Bengaluru.	Achieved the EC condition.	--
43.	The project Authorities shall ensure the time specification prescribed by the Honourable High Court of Karnataka in W.P. No. 1958/2011	--		--

	(LB-RES-PIL) on 04.12.2012 for different activities involved in construction work.			
44.	The proponent shall take up the construction activity only after obtaining NOC from BWS&SB or clearance from the competent authority for assured supply of water as the case may be.	We have obtained the NOC from ELCITA for the supply of water.	Achieved the EC condition	--
45.	The project authorities shall ensure that the construction activity is undertaken strictly in accordance with the approved site plan / layout drawing annexed to this Environmental Clearance letter. However, it is subject to compliance to the provisions of local authorities regarding setbacks, FAR etc. Shall be adhered to.	We will obey the EC condition.	Will achieve the EC condition	--
46.	The existing water body, canals and rajakaluve and other drainage and water bound structures shall be retained unaltered with due buffer zone as applicable and maintained under tree cover.	There is no existing water body, canals and rajakaluve near the project site. Water body, canals, rajakaluve and other drainage and water bound structures will be unaltered.	Will achieve the EC condition	--
47.	The project Proponent shall leave the appropriate buffer from the boundary of lake and on either side of the channel /nala and other water bodies as per the local planning Authority norms and this shall be free from any permanent structures.. The buffer so maintained shall be developed as Green Belt planting with indigenous tree species such as Neem, Akash	There is no existing water body, canals and rajakaluve near the project site.	Will achieve the EC condition	--

	Mallige, Mahagoni, Honge, Kadamba, Ficus, etc and maintained as green belt.			
48.	The natural sloping pattern of the project shall remain unaltered and the natural hydrology of the area be maintained as it is to ensure natural flow of storm water.	No alteration will be made for the natural sloping pattern of the project site and the natural hydrology of the area will be maintained as it is to ensure natural flow of storm water.	Will achieve the EC condition	--
49.	Lakes and other water bodies within and/or at the vicinity of the project area shall be protected and conserved.	Lakes and other water bodies at the vicinity of the project area will be protected and conserved.	Will achieve the EC condition	--
50.	This clearance is subject to final outcome of the original application no. 222 of 2014 before the Hon'ble National Green Tribunal, Principal Bench New Delhi	Noted	Will achieve the EC condition	--
II	OPERATION PHASE			
1.	The installation of the Sewage Treatment Plant (STP) of total capacity 2nos 200 KLD should be carried out before the construction of the second floor of the main structure is commenced and the plant shall be got certified by an independent expert and a report in this regard should be submitted to the SEIAA immediately. Discharge of treated sewage shall conform to the norms & standards of the Karnataka State Pollution Control Board. Treated sewage should be used for flushing, gardening, etc. as proposed, using dual plumbing line.	Sewage Treatment plant has been proposed and its construction will be started in later stages. Once it is certified by the expert, report of the same will be submitted to SEIAA. STP is designed to treat the sewage to meet the KSPCB urban reuse standards and the treated sewage will be reused for flushing and for gardening.	Will achieve the EC condition	--
2.	Rainwater harvesting for roof run-off with 180Cum capacity of tanks at ground level for	The rain water harvesting plan has been implemented in the project site; as the stage wise	Will achieve the EC condition	--

	rainwater collection and also surface run-off harvesting as per the plan submitted should be implemented with 20 Nos. of recharge pits and pre-treatment must be done to remove suspended matter, oil and grease before recharging the surface run off.	construction is going on, construction of roof rain water collection sump & recharge pits work will commence in later stages.	
3.	Ensure that the excess runoff rainwater from the greenbelt area, which is irrigated by treated water, does not get into recharge pits and contaminate the ground water. Such excess flow should be safely let in to the storm water drains.	Proper care has been taken, not to contaminate the ground water from the excess runoff rainwater from the greenbelt area, which is irrigated by treated water; and excess runoff will be safely discharged to external storm water drain.	Will achieve the EC condition
4.	The solid waste generated should be properly collected and segregated insitu. The Biodegradable organic waste be composted by installing bio-converter in site and used. The non-biodegradable waste be disposed to the authorized recyclers.	The generated solid waste will be collected in separate bins & the organic waste will be processed in proposed organic waste converter within the project site & recyclable will be handed over to authorised recyclers.	Will achieve the EC condition
5.	Any hazardous waste including biomedical waste should be disposed off as per the applicable Rules and norms with necessary approvals of the Karnataka State Pollution Control Board.	The hazardous waste i.e. waste oil, generated from the proposed project will be from DG sets. This will be stored in leak proof containers & will be hand over to KSPCB authorized waste oil recyclers.	Will achieve the EC condition
6.	The project proponent shall develop a minimum of 33% of the project area for green belt. The proposed greenscape is 16,814.94 Sqm (41.42% of total plot are). The proponent shall undertake Plantation of heavy foliage indigenous tree species such as Mahagoni, Honge, Neem, Akash	As the stage wise construction work is going on, green belt is planned accordingly for 41.42% of the project site area with native species.	Will achieve the EC condition

	<p>Mallige, Kadamba, Ficus and Ashoka, etc at an espacement of 3mts x 3 mts i.e. 1111 plants/hectare.</p> <p>The green belt design along the periphery of the plot shall achieve attenuation factor confirming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.</p>			
7.	<p>Incremental pollution loads on the ambient air quality; noise and water quality should be periodically monitored after commissioning of the project.</p>	<p>Regular monitoring of ambient air, noise and water quality analysis will be carried out after commissioning of the project.</p>	<p>Will achieve the EC condition</p>	--
8.	<p>Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. A hybrid system or fully solar system for the complex should be provided. Details in this regard should be submitted to the SEIAA.</p>	<p>Solar photo voltaic plants will be established on the roof tops and the same will be utilized in the buildings for meeting electricity needs. The layout of streets & buildings maximize the potential for solar energy devices. The proposed project will comprise of solar street lightings in common area, landscape area, hence utilizing maximum solar energy.</p>	<p>Will achieve the EC condition</p>	--
9.	<p>Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.</p>	<p>Car parking facility planned to provide in basement-area, no public space will be used for parking.</p>	<p>Will achieve the EC condition</p>	--
10.	<p>A Report on the energy conservation measures confirming to energy conservation norms finalized by the Bureau of Energy Efficiency</p>	<p>Whole Building Simulation route was selected for ECBC compliance instead of prescriptive route. And we have applied for LEED platinum rate.</p>	<p>Will achieve the EC condition</p>	--

	should be prepared incorporating details about building materials & technology, R & U Factors etc and submit to the SEIAA in three months time.			
11.	All toilets should have dual plumbing line for using treated water and no wastewater is discharged from the unit.	Dual piping system has been implemented in the proposed project.	Achieved the EC condition	--
12.	The Environment Management Plan including the human health and Safety management plan and Fire Safety and Protection plan proposed by the proponent shall be strictly implemented.	Environment Management Plan including the human health and Safety management plan and Fire Safety and Protection plan will be implemented.	Will achieve the EC condition	--
13.	The proposed building shall have D.G. Set of 4Nos. X 1500 KVA as an alternate power supply source as proposed.	The proposed building will have D.G. Set of 4Nos. X 1500 KVA as an alternate power supply source as proposed	Will achieve the EC condition	--
PART B - GENERAL CONDITIONS				
1.	The Environmental safeguards contained in the application should be implemented in letter and spirit.	The Environmental safeguards as mentioned in the application have been implemented effectively during construction phase and the same will be implemented with true spirit in operation phase also.	Will achieve the EC condition	--
2.	All commitments made by the proponents in their application, and subsequent letters addressed to the SEAC/SEIAA should be accomplished before the construction work of the project is completed.	It is being followed.	Achieving the EC condition	--
3.	Half yearly monitoring reports should be submitted to the SEIAA and the APCCF, Regional Office, MoEF, Bengaluru.	Six monthly monitoring reports along with the compliance to the Environmental clearance conditions are being submitted to R.O-MoEF and KSEIAA. Acknowledgement copy of recently	Achieving the EC condition	--

		submitted half yearly compliance to EC conditions are enclosed as Annexure H.		
4.	<p>Officials from the Department of Environment and Ecology, Bengaluru/ APCCF, Regional Office of MoEF, Bengaluru who would be monitoring the implementation of Environmental safeguards should be given full cooperation, facilities and documents / data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF / SEIAA should be forwarded to the APCCF, Regional Office of MoEF, Bengaluru / Department of Environment and Ecology, Bengaluru.</p>	Will adhere to EC condition.	-	---
5.	<p>In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Authority.</p>	Will adhere to EC condition.	--	
6.	<p>Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environmental (Protection) Act, 1986.</p>	Will adhere to EC condition.	--	--
7.	<p>The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environmental clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time</p>	Same will be followed, if any.	--	--

	bound and satisfactory manner.			
8.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the competent authorities.	All necessary permissions have been obtained from the competent authorities.	Achieved the EC condition	--
9.	The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the Karnataka State Pollution Control board and may also be seen on the website of the SEIAA, Karnataka at http://www.seiaa.kar.nic.in Or http://seiaa.karnataka.gov.in http://environmentclearance.nic.in The advertisement should be made within 7 days from the day of issue of the clearance letter and a copy of the same should be forwarded to the APCCF, Regional Office, MoEF at Bengaluru/ Department of Environment and Ecology, Bengaluru.	Already complied. Advertisement copy was submitted to SEIAA & Regional Office Bengaluru.	Achieved the EC condition	--
10.	The project proponent should display the conditions prominently at the entrance of the project on a suitable size board for the	We have displayed the conditions on the board at the entrance of the project. Photo of the same was	Achieved the EC condition	--

	information of the public.	submitted to SEIAA & Regional Office Bengaluru with earlier compliance report.		
11.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	--	--	--
12.	These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	For the proposed project, CFE has been obtained under Water act & Air act; EC has been obtained under EIA notification and as per these stipulations, development is schedule in the project site. Copy of CFE was submitted to SEIAA & Regional Office Bengaluru with earlier compliance report.	--	--
13.	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it is found that construction of the project has been started without obtaining EC.	Construction work for the proposed project has been started after obtaining the environmental clearance with vide No 129 CON 2014 dated 7-12-2014 and corrigendum dated 13 th Oct 2017	Achieved the EC condition	--
14.	The issuance of Environment Clearance doesn't confer any right to the project proponent to operate/run the project without obtaining Statutory clearances/sanctions from all other concerned authorities.	We will obey the EC condition.	--	--